



# TECHNICAL CERTIFICATE

## Cover-vestibule for tents

[morzh.eu](http://morzh.eu)



## Cover-vestibule for tents

Cover-vestibule for mobile sauna MORZH.

The vestibule allows to increase the size of the useful area of the tent (1,2 m long, 2 m wide), for a standard tent.

An additional useful area can be used to store things or equipment. Also it can be used as a place for changing clothes and relaxing. Cover-vestibule has a small weight and glued seams. It is easy to assemble and it provides additional protection from rain.

### Specifications:

Options	Cover-vestibule
Height in assembled state, m	1,9
Width in assembled state, m	2,05
Useful length, m	1,2
Total length, m	3,2
Window, m	0,6*0,7
Weight, kg	6
Size in packaged form (in bag), m	0,55x0,30x0,25
Colors	Blue, khaki

### Delivery set includes:

1. Awning of the vestibule - 1pc.
2. Arc of the frame -1 pc.
3. Longitudinal stringer - 1 pc.
4. Cross stringer - 1 pc.
5. Screw - 5 pcs.
6. Guy wire - 1 pc.
7. Sling with with clasps to fix the vestibule.
8. Bag - 1 pc.
9. ZIP (piece of cloth) - 1 pc.

The cape frame is made of tubes of aviation metal.

### Assembly Order

1. Take the awning from the bag, install the arch of the frame in the zipper. To do this, insert the end of the arc of the frame into a pocket, then fasten the zipper(15-20 cm). It is similarly inserted on the other side, after which the zipper frame must be fastened along its entire length.

2. A transverse stringer is inserted from the opposite side of the vestibule, placed in a special longitudinal pocket. There are carabines located on the edges of the stringer.



3. After installing the transverse stringer and the frame of the vestibule arc, it is necessary to throw the vestibule on the tent and fasten it with carbiners on the back side to the ring located on the middle wind guy.



4. Fasten with with carabiners from the side walls.



Do not forget to install the longitudinal stringer of the frame, so that the vestibule is held in a stretched condition. Stringer is installed in pockets made of thick PVC fabric. The chimney hole opens and fastens with Velcro on the tent. The vestibule has an additional sling for wind protection. Sling is located at the bottom of the tent and can be pulled together to fit the size of the tent. After assembling the vestibule, be sure to secure it with pegs and wind braces to the ground.

#### **Precautionary measures:**

- Mount the vestibule carefully on the ground to prevent it from tipping over.
- Do not use a camping furnace and other heating devices in a tent when the wind is more than 10 m/s.
- It is not recommended to install the vestibule close to the crowns of trees or other tents.
- Do not allow intoxicated persons or young children to use.
- Do not use gas or flammable substances to light the stove inside the tent.

#### **Terms of Use**

The product can be used in temperature conditions from -40 to +40. The installation of all wind braces is required. When you install the furnace, be sure to follow all safety precautions. Do not place the stove close to the wall of the tent; use stoves with a built-in or remote spark arrestor. Clean the chimney from soot during prolonged residence and use.

#### **Storage and transportation**

- The vestibule must be kept dry.
- It is recommended to dry the vestibule after each departure.
- Clean the awning from dirt with a soft cloth or sponge and soapy water.
- Do not use strong chemical cleaners.

- Never wash the vestibule in the washing machine and do not iron it.
- When tears appear, try to seal or sew them up as quickly as possible.
- Do not fold the tent over the old folds on the fabric. It can lead to the destruction of the polyurethane coating.
- Always try to fold the awning with a polyurethane coating inward.
- The frame arcs and pegs must be stored in special cases, otherwise they can damage the tent.

### Warranty Card

Technical control department date « \_\_\_\_ » \_\_\_\_\_ 20 .

Full name: \_\_\_\_\_

Date of sale: « \_\_\_\_ » \_\_\_\_\_ 20 .

Buyer's signature: \_\_\_\_\_ / \_\_\_\_\_

**Manufactured by order:** New Solution LLC, TIN 6658182671, CRR 665801001  
620043, Cherklasskaya str. 9, Sverdlovsk Region, Ekaterinburg, Russia  
+7 (343) 386-19-75  
[www.morzh.eu](http://www.morzh.eu)

